



Certificate of Analysis

Sample: DE00701008-004
Harvest/Lot ID: 200623B
Seed to Sale #N/A
Batch Date :N/A
Batch#: 1A400031269FB2B000000423
Sample Size Received: 4 units
Retail Product Size: N/A
Ordered : 07/01/20
Sampled : 07/01/20
Completed: 07/14/20 Expires: 07/14/21
Sampling Method: SOP-024

PASSED

Page 1 of 2

Jul 14, 2020 | Proper Rhino

License #
2649 E Mulberry St
Fort Collins, CO, 80524,



SAFETY RESULTS

MISC.

Pesticides NOT TESTED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Homogeneity NOT TESTED	Terpenes NOT TESTED

CANNABINOID RESULTS

	Total THC 0.100%		Total CBD 2.248%		Total Cannabinoids 2.431%
--	-----------------------------------	--	-----------------------------------	--	--

CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	EXO-THC	D9-THC	D8-THC	CBL	THCVA	CBC	CBNA	THCA	CBLA	CBCA
ND	ND	ND	2.25%	ND	ND	ND	ND	ND	0.10%	ND	ND	ND	0.08%	ND	ND	ND	ND
ND	ND	ND	22.48 mg/g	ND	ND	ND	ND	ND	1.00 mg/g	ND	ND	ND	0.81 mg/g	ND	ND	ND	ND
LOD	0.00265237	0.00070559	0.00219044	0.00333396	0.00125116	0.00205806	0.00192419	0.00183167	0.00401072	0.00084794	0.00092180	0.00071737	0.00286194	0.00091019	0.00045846	0.00116619	0.00210199
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Cannabinoid Profile Test

Analyzed by : s	Weight : 0.9779g	Extraction date : 07/06/20 09:07:55	Extracted By : 667
Analysis Method -SOP-020 (R15)			
Analytical Batch -DE000569P07 Instrument Used : Agilent 1100 Liger Batch Date : 07/02/20 13:56:33 Reviewed On - 07/07/20 14:01:29			
Reagent : 070620.n03	Dilution : 41	Consumers ID : 2455543 902232 280631 18130659 85824 232685	

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV), Method SOP-022 (R13) for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Phytatech Labs. This report is a Phytatech Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Stephen Goldman
Lab Director
State License #
405R-00011 405-00008
ISO Accreditation # 4331.01

Signature

07/14/2020
Signed On



Certificate of Analysis

PASSED

Proper Rhino

2649 E Mulberry St
Fort Collins, CO, 80524,
Telephone: (970) 231-2303
Email: ash@properrhino.com
License #:

Sample : DE00701008-004
Harvest/LOT ID: 200623B

Batch# : 1A400031269FB2B000000423 Sample Size Received : 4 units
Sampled : 07/01/20 Completed : 07/14/20 Expires: 07/14/21
Ordered : 07/01/20 Sample Method : SOP-024

Page 2 of 2



Microbials

PASSED

Hg

Heavy Metals

PASSED

Analyte

SALMONELLA_SPECIFIC_GENE
ESCHERICHIA_COLI_SHIGELLA_SPP
TOTAL_YEAST_AND_MOLD

Result Dilution

not present in 1 gram. 50
not present in 1 gram.
not present in 1 gram.

Analysis Method -SOP-061 (R2); SOP-062 (R2); SOP-063 (R1)
Analytical Batch -DE000556MIC Batch Date : 06/30/20
Instrument Used : Microbial - Full Panel

Analyzed by	Weight	Extraction date	Extracted By
5	3.27g	07/01/20	5

Metal	LOD	Unit	Result	Action Level (PPM)
MERCURY	0.0035	ppm	ND	1
LEAD	0.0101	ppm	0.060	1
CADMIUM	0.0016	ppm	ND	0.5
ARSENIC	0.0020	ppm	ND	1.5

Analyzed by	Weight	Extraction date	Extracted By
7	0.2234g	07/01/20 04:07:28	666

Reagent	Reagent	Reagent	Consums. ID	Consums. ID	Consums. ID
061020.01	061020.R05	040519.02	200218059	20P2014300	04620005
061920.01	061620.R06	022120.05	40722-924C4-924A	40048-618C4-550B	
061020.R02	061820.R03	061620.R05	61144-949C6-949H	213685	
061020.R04	062420.R08		181220602	19/04/15 exp 2024/05/15	
063020.R06	042220.02		NT10-1212	00097	
070120.R06	061720.R02		DYSH219069	00019	

Analysis Method -SOP-050 (R5)
Analytical Batch -DE000557HEA | Reviewed On - 07/02/20 08:24:01
Instrument Used : Shimadzu 2030 ICP-MS
Batch Date : 07/01/20 09:00:15

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen to below single digit ppb concentrations for regulated heavy metals using Method SOP-050 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP-050 Heavy Metals Analysis via ICP-MS.

This report shall not be reproduced, unless in its entirety, without written approval from Phytatech Labs. This report is an Phytatech Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Stephen Goldman
Lab Director
State License #
405R-00011 405-00008
ISO Accreditation # 4331.01



Signature

07/14/2020

Signed On