



Certificate of Analysis

Sample: DE20627010-001
Harvest/Lot ID: 220531C
Batch#: CO HEMP
Seed to Sale# 1A4000B00010D25000001769
Batch Date: N/A
Sample Size Received: 30 ml
Total Batch Size: N/A
Retail Product Size: 30 gram
Ordered : 06/17/22
Sampled : 06/17/22
Completed: 07/01/22
Sampling Method: N/A
PASSED

Page 1 of 2

Jul 01, 2022 | Proper Rhino

License # 405R-00011


2649 E Mulberry St

Fort Collins, CO, 80524, US


PRODUCT IMAGE


28.2g 1800mg per unit

SAFETY RESULTS

 Pesticides
NOT TESTED

 Heavy Metals
NOT TESTED

 Microbials
PASSED

 Mycotoxins
NOT TESTED

 Residuals Solvents
NOT TESTED

 Filth
NOT TESTED

 Water Activity
NOT TESTED

 Moisture
NOT TESTED

 Homogeneity
Testing
NOT TESTED


 Terpenes
NOT TESTED

MISC.

Cannabinoid
PASSED

Total THC
0.2863%

Total CBD
6.7271%

Total Cannabinoids
7.4009%

 Analyzed by:
 2229, 2319, 1642, 8, 2

 Weight:
 0.8593g

 Extraction date:
 06/30/22 15:14:15

 Extracted by:
 2319

 Analysis Method : SOP-020 (R15)
 Analytical Batch : DE003591POT
 Instrument Used : Agilent 1100 "Liger"
 Running on : N/A

 Reviewed On : 07/01/22 15:16:35
 Batch Date : 06/30/22 11:08:01

 Dilution : 82
 Reagent : 062222.R06; 062722.R08
 Consumables : 00322643; HWK-TP3ML; 1154419; 00322250; 210622-688; 304015242; 12253-111CC-111; 923C4-923AK; 5079-525C6-525E
 Pipette : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP-022 (R13) for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

Dane Oberhill

Lab Director

 State License # 405R-00011
 405-00008
 ISO Accreditation # 4331.01



Signature

07/01/22

Signed On



Certificate of Analysis

PASSED
Proper Rhino

 2649 E Mulberry St
 Fort Collins, CO, 80524, US
Telephone: (970) 231-2303
Email: ant@propperrhino.com
License # : 405R-00011

Sample : DE20627010-001
Harvest/Lot ID: 220531C
Batch# : CO HEMP
Sampled : 06/17/22
Ordered : 06/17/22
Sample Size Received : 30 ml
Total Batch Size : N/A
Completed : 07/01/22 Expires: 07/01/23
Sample Method : SOP-024

Page 2 of 2

| | | |
|-----------------------------------------------------------------------------------|------------------|---------------|
|  | Microbial | PASSED |
|-----------------------------------------------------------------------------------|------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---------------------------------------------|-----|-------|--------|-------------|--------------|
| TOTAL YEAST AND MOLD | 100 | cfu/g | ND | PASS | 10000 |
| SHIGA TOXIN PRODUCING ESCHERICHIA COLI STEC | 1 | CFU | ND | PASS | 1 |
| SALMONELLA SPECIES | 1 | CFU | ND | PASS | 1 |
| TOTAL AEROBIC | 10 | cfu/g | ND | PASS | 10000 |
| TOTAL COLIFORM | 10 | cfu/g | ND | PASS | 100 |

| | | | |
|-----------------------------------------|--------------------------|----------------------------------------------|------------------------------|
| Analyzed by: 2229, 2265, 1473 | Weight: 13.47g | Extraction date: 06/27/22 18:00:27 | Extracted by: 2265 |
|-----------------------------------------|--------------------------|----------------------------------------------|------------------------------|

Analysis Method : SOP-061 (R2); SOP-062 (R2); SOP-063 (R1)

Analytical Batch : DE003574MIC

Reviewed On : 06/30/22 11:39:20

Instrument Used : Microbial - Full Panel

Batch Date : 06/27/22 11:35:36

Running on : 06/27/22 18:00:38

Dilution : N/A

Reagent : 061022.R04; 062322.R04; 062422.R01; 062322.R01; 052322.R07; 032322.R01; 062722.R06; 042922.R19; 061022.R05; 062122.01; 061522.07; 052322.02; 110821.02; 050922.01; 030322.06; 120921.03; 110821.04; 061722.R14; 062322.R03; 052022.10

Consumables : 01859; 210622-688; NT10-1212; 0000002841; 0000004355; CH_2147106; 00107; 20/08/30; 12265-115CC-115; 1

Pipette : N/A

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Signature