

721 Cortaro Dr. Sun City
Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003
CLIA No. 10D1094068

Certificate of Analysis

Compliance Test

Client Information

Proper Canna Naturals

2649 E Mulberry Unit 9
Fort Collins, Colorado 80524
Order #PRO241119-030001
Order Date: 2024-11-19
Sample # AAGD895

Batch # 241119C
Batch Date: 2024-11-19
Extracted From: N/A

Test Reg State: Colorado

Sampling Date: 2024-11-22
Lab Batch Date: 2024-11-22
Completion Date: 2024-11-27

Initial Gross Weight: 232.000 g



Product Image



**Potency
Tested**

Potency 10

Specimen Weight: 100.900 mg

Analyte	Dilution (1:n)	LOD (m g/g)	LOQ (%)	Result (m g/g)	Result (%)
CBD	10.000	5.40E-5	0.015	23960	2.396
CBC	10.000	1.80E-5	0.015	1230	0.123
Delta-9 THC	10.000	1.30E-5	0.015	700	0.07
CBG	10.000	2.48E-4	0.015	380	0.038
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
CBN	10.000	1.40E-5	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD	10.000			23.960	2.396
Total Active THC	10.000			0.700	0.070

Tested

SOP13.001 (HPLC)



Potency Summary

Total Active THC
0.070%

Total Active CBD
2.396%

Total CBG
0.038%

Total CBN
None Detected

Total Cannabinoids
2.627%

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877) * Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per CO rule 6 CCR 1010-21. Failed - Analyte/microbe is at the level that equal or above the action limit per CO rule 6 CCR 1010-21 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.